

# WR-500/90

GLORY

## AUTOMATED COIN COUNTING AND WRAPPING MACHINE

*Superior performance for increased productivity and reliability.*



GLORY'S 7TH GENERATION WRAPPER FAMILY OFFERS UNSURPASSED SPEED AND IMPROVED OPERABILITY TO MEET YOUR NEEDS.

For many years, Glory has been recognized as a technological and practical market leader for coin wrapping machines. Serving the needs of coin-intensive industries across North America, the WR-Series wrappers have become a world-leading solution.

Rugged and reliable, Glory's WR-Series delivers top performance day-in and day-out. The WR-90 is versatile enough for most operations, while the high-speed WR-500 easily manages high-volume applications.

Enhanced with a simple-to-use, one touch LCD control panel, operating the WR-Series is easier than ever. Comprehensive illustrated instructions guide the user through each step of the process.



WR-90

# WR-500/90

## Advantage: Glory

### Continuous Operation

Leveraging proven Glory technologies, our enhanced coin transport and stacking units allow for speedier, smoother performance. Enhanced self-clearing capabilities dramatically improve continuous operations by limiting unwanted stops.

### Improved Operability

The utilization of a built-in LCD control panel has improved both screen visibility and operability. Processing information can be checked quickly and easily. A user-friendly, illustrated guide is incorporated into the display to provide accurate, step-by-step setup and support direction.

### Fast Configuration

Simply set the paper, select the denomination and you are ready to wrap.

### Multi-Language Ready

Choose from a variety of languages, such as English, Spanish, French and German, all from a simple LCD interface.

### Additional Capacity

The optional extended hopper enables even greater operational efficiencies.

## WR-500/90 TECHNICAL INFORMATION

	WR-500	WR-90
<b>Counting speed</b>	3,000 coins/min. (max.)	2,000 coins/min. (max.)
<b>Wrapping speed</b>	40 rolls/min. (max.)	25 rolls/min. (max.)
<b>Acceptable coins</b>	Max. 32 denominations Diameter: 0.6" - 1.3" (15 mm - 33 mm) Thickness: 0.04" - 0.14" (1.00 mm - 3.5 mm)	Max. 32 denominations Diameter: 0.6" - 1.3" (15 mm - 33 mm) Thickness: 0.04" - 0.14" (1.00 mm - 3.5 mm)
<b>No. of coins wrapped in one roll</b>	Preset for each denomination	Preset for each denomination
<b>Power supply</b>	AC 100-120V, 220-240V±10%, 50/60Hz	AC 100-120V, 220-240V±10%, 50/60Hz
<b>Dimensions (W x D x H*)</b>	17.7" x 24.9" x 43.3" (450 mm x 633 mm x 1,100 mm)	17.7" x 24.9" x 40.7" (450 mm x 633 mm x 1,035 mm)
<b>Weight</b>	Approx. 330.7 lbs. (150 kg)	Approx. 330.7 lbs. (150 kg)
<b>Power consumption</b>	Less than 400 W	Less than 400 W

\* Except display, paper stand and chute

\* Specifications are subject to change without notice.

\* Please carefully read the instruction manual to ensure correct equipment usage.

\* Copyright © 2009 by GLORY LTD. All rights reserved.



WR-500



WR-90

Specifications and design subject to change without notice. Please carefully read the instruction manual to ensure correct usage.



### Glory Global Solutions

3333 Warrenville Road, Suite 310 Lisle, IL 60532

Tel: +1 (630) 577-1015

Fax: +1 (630) 577-1270

[www.gloryglobalsolutions.com](http://www.gloryglobalsolutions.com)

Glory Global Solutions is part of GLORY LTD.

This document is for general guidance only. As the Company's products and services are continually being developed it is important for customers to check that the information contained herein includes the latest particulars. Although every precaution has been taken in preparation of this document, the Company and the publisher accept no responsibility for errors or omissions. The Company and the publisher accept no liability for loss or damages resulting from the use of the information contained herein. This document is not part of a contract or licence save insofar as may be expressly agreed. All capabilities and capacity and throughput figures are subject to note/coin size, note/coin quality and process used. GLORY is a registered trademark of GLORY LTD. in Japan, the United States of America, and EU. All trademarks are owned by the GLORY Limited Group of companies. © Glory Global Solutions (International) Limited 2013.